# Safety Data Sheet



# according to OSHA Hazard Communication 29 CFR Part 1910.1200

# Section 1. Identification

Product Information: 72G-A019

Product Name: BIKE PATH GREEN WATERBORNE ALKYD LATEX TRAFFIC PAINT

Recommended Use: Liquid Paint

Application Method: See Product Data Sheet

Supplied by: Aexcel Corporation

7373 Production Drive. Mentor, OH 44060

Emergency Telephone: Chemtrec: 800-424-9300
Safety Data Sheet Coordinator: IWebb@AexcelCorp.com

# Section 2. Hazard(s) identification

EMERGENCY OVERVIEW: Skin and eye irritant.

#### **GHS Classification**

STOT SE 2

Symbol(s) of Product



## Signal Word

Warning

#### Possible Hazards

3% of the mixture consists of ingredients of unknown acute toxicity

### **GHS HAZARD STATEMENTS**

STOT, single exposure, category 2 H371 May cause damage to organs.

#### **GHS LABEL PRECAUTIONARY STATEMENTS**

P251 Do not pierce or burn, even after use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P309+P311 IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.
P501 Dispose of contents/container in accordance with local rules and regulations.

### **GHS SDS PRECAUTIONARY STATEMENTS**

P270 Do not eat, drink or smoke when using this product.

# Section 3. Composition/Information on ingredients

<u>Chemical Name</u> <u>CAS-No.</u> <u>Wt. % GHS Symbols</u> <u>GHS Statements</u>

ETHANOL 100% 64-17-5 2.5-10 GHS02-GHS07- H225-302-315-319-335-336-370

GHS08

The text for GHS Hazard Statements shown above (if any) is given in the "Other information" Section.

### Section 4. First-aid measures



FIRST AID - INHALATION: Move to fresh air. Oxygen or artificial respiration if needed.

FIRST AID - SKIN CONTACT: Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.

FIRST AID - EYE CONTACT: Flush eye(s) immediately with plenty of water.

FIRST AID - INGESTION: Consult a physician. If a person vomits when lying on his back, place him in the recovery position.

# Section 5. Fire-fighting measures

UNUSUAL FIRE AND EXPLOSION HAZARDS: Remove all sources of ignition.

**SPECIAL FIREFIGHTING PROCEDURES:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

EXTINGUISHING MEDIA: Alcohol Foam, Carbon Dioxide, Dry Chemical, Foam

# Section 6. Accidental release measures

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

# Section 7. Handling and storage





**HANDLING:** Containers of this material may be hazardous when emptied. Do not re-use empty containers. Keep away from food and drink. Keep out of reach of children.

**STORAGE:** Harmful - Store away from foodstuffs. Keep containers tightly closed. Keep in a dry place. Keep locked-up. For Industrial Use Only

# Section 8. Exposure controls/personal protection

Ingredients with Occupational Exposure Limits

<u>Chemical Name</u>
<u>ACGIH TLV-TWA</u>
<u>ACGIH-TLV STEL</u>
<u>OSHA PEL-TWA</u>
<u>OSHA PEL-CEILING</u>

ETHANOL 100% 1000 ND 1000 N.E.

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation

Sk = Skin Sensitizer N.E. = Not Established

#### **Personal Protection**



**RESPIRATORY PROTECTION:** In the case of respirable dust and/or fumes, use self-contained breathing apparatus.



SKIN PROTECTION: Impervious gloves.



**EYE PROTECTION:** Safety glasses with side-shields.



OTHER PROTECTIVE EQUIPMENT: Impervious clothing.



HYGIENIC PRACTICES: General industrial hygiene practice.

# Section 9. Physical and Chemical Properties

Boiling Range (F): 176 - 591 Vapor Density: 1.6 Odor: Characteristic Odor Threshold: NE Appearance: Heavy Liquid **Evaporation Rate:** 1.7 Solubility in Water: NE Specific Gravity: 1.594 Freeze Point: NE :Ha NE Vapor Pressure (mm Hg): 115 Viscosity: NE

Physical State: Liquid Flash Point, °C: 100, °F 212

(See section 16 for abbreviation legend)

<u>CHEMICAL NAME</u> <u>VAPOR DENSITY</u> <u>EVAPORATION RATE</u> <u>BOILING POINT</u> <u>VP mmHg</u> <u>at DEG. F</u>

ETHANOL 100% 1.60 1.70 173 115 68

# Section 10. Stability and reactivity

**STABILITY:** Stable under normal conditions. Stable if used as directed.

CONDITIONS TO AVOID: Avoid contact with skin, eyes and clothing.

**INCOMPATIBILITY:** Incompatible with strong acids and oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: No decomposition if stored and applied as directed.

# Section 11. Toxicological information



### Practical Experiences

**EFFECT OF OVEREXPOSURE - INHALATION:** Inhalation may cause intense irritation to the respiratory tract (nose, mouth, mucous membranes).

**EFFECT OF OVEREXPOSURE - SKIN CONTACT:** Direct skin contact may cause moderate to severe irritation and possibly dermatitis. Local ventilation of emission sources may be necessary to maintain ambient concentrations below recommended exposure limits.

EFFECT OF OVEREXPOSURE - EYE CONTACT: Mist and vapors may cause eye irritation.

**EFFECT OF OVEREXPOSURE - INGESTION:** May cause severe gastrointestinal disturbance with headache, nausea, vomiting and diarrhea.

**CARCINOGENICITY:** No Information

#### **Acute Toxicity Values**

The acute effects of this product have not been tested. Data on individual components are tabulated below:

<u>CAS-No.</u> Name according to EEC <u>Oral LD50</u> <u>Dermal LD50</u> <u>Vapor LC50</u>

64-17-5 ETHANOL 100% N.I. N.I. N.I. N.I.

N.I. - No Information

# Section 12. Ecological information

ECOLOGICAL INFORMATION: Do not contaminate ponds, waterways or ditches with chemical or used container.

# Section 13. Disposal considerations



#### Product

DISPOSAL METHOD: Contact waste disposal services. Dispose of in accordance with all local, state and federal regulations.

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

# Section 14. Transport information

### SPECIAL TRANSPORT PRECAUTIONS: No Information

DOT Proper ShippingPaint, LatexPacking Group:Non-RegulatedBOT Technical Name:PaintHazard SubClass:No Information

DOT Hazard Class: Non-Hazardous Resp. Guide Page: NE

DOT UN/NA Number: Non-Regulated

# Section 15. Regulatory information

### **U.S. Federal Regulations:**

### **CERCLA - SARA Hazard Category**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Specific target organ toxicity (single or repeated exposure)

#### **SARA SECTION 312:**

Chemical NameCAS-No.ETHANOL 100%64-17-5

#### **SARA SECTION 313:**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

 Chemical Name
 CAS-No.

 MIBK
 108-10-1

 N-HEXANE 100%
 110-54-3

 CYCLOHEXANE
 110-82-7

#### TOXIC SUBSTANCES CONTROL ACT:

All components of this material are listed on the US Toxic Substance Control Act (TSCA inventory).

# U.S. State Regulations:

### **NEW JERSEY RIGHT-TO-KNOW:**

The following materials are non-hazardous, but are among the top five components in this product.

Chemical NameCAS-No.LIMESTONE1317-65-3WATER7732-18-5MED OIL ALKYD LATEXProprietary

#### PENNSYLVANIA RIGHT-TO-KNOW

The following non-hazardous ingredients are present in the product at greater than 3%.

 Chemical Name
 CAS-No.

 LIMESTONE
 1317-65-3

 WATER
 7732-18-5

 MED OIL ALKYD LATEX
 Proprietary

#### **CALIFORNIA PROPOSITION 65 CARCINOGENS**



# **WARNING**

The following ingredients present in the product are known to the state of California to cause Cancer:

Chemical NameCAS-No.MIBK108-10-1

# **CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS**

The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

Chemical NameCAS-No.MIBK108-10-1

International Regulations: As follows -

# **CANADIAN WHMIS:**

All components of this material are listed on the Domestic Substance List.

WHMIS Class: No Information

# Section 16. Other information, including date of preparation of the last revision

Revision Date: 9/26/2022 Supercedes Date: 1/27/2021

Reason for revision: Substance and/or Product Properties Changed in Section(s):

02 - Hazards Identification05 - Flammability Information

08 - Exposure Controls/Personal Protection 09 - Physical & Chemical Information

15 - Regulatory Information
Product Composition Changed
Substance Hazardous Flag Changed
Substance Hazard Threshold % Changed
Substance Chemical Name Changed
Revision Statement(s) Changed

Datasheet produced by: Regulatory Department

**HMIS Ratings:** 

Health:	1	Flammability:	0	Reactivity:	0	Personal Protection:	X
---------	---	---------------	---	-------------	---	----------------------	---

## Volatile Organic Compounds, gr/ltr: 76

### Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H370 Causes damage to organs. Classifie

Causes damage to organs . Classified Category 1 Substances that produced significant toxicity in humans

and evidence to produce significant toxicity with single exposure. Cell death, adverse change in biochemistry, haematology or urinalysis parameters, Central or peripheral nervous system and effects

senses. multifocal or diffuse necrosis, fibrosis or granuloma formation in organs.

### Icons for GHS Pictograms shown in Section 3 describing each ingredient:



Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

No Information