# Safety Data Sheet



# according to OSHA Hazard Communication 29 CFR Part 1910.1200

# Section 1. Identification

Product Information: 72W-A129

Product Name: WHITE BIOSTRIPE W/B ALKYD LATEX TRAFFIC PAINT

Recommended Use: Liquid Paint

Application Method: See Product Data Sheet

Supplied by: Aexcel Corporation

7373 Production Drive. Mentor, OH 44060

Emergency Telephone: Chemtrec: 800-424-9300
Safety Data Sheet Coordinator: IWebb@AexcelCorp.com

# Section 2. Hazard(s) identification

EMERGENCY OVERVIEW: Skin and eye irritant.

# GHS Classification Repr. 2, STOT SE 2

# Symbol(s) of Product



# Signal Word

Warning

#### Possible Hazards

9% of the mixture consists of ingredients of unknown acute toxicity

# **GHS HAZARD STATEMENTS**

Reproductive Toxicity, category 2 H361 Suspected of damaging fertility or the unborn child.

STOT, single exposure, category 2 H371 May cause damage to organs.

#### **GHS LABEL PRECAUTIONARY STATEMENTS**

P201 Obtain special instructions before use.
P251 Do not pierce or burn, even after use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P281 Use personal protective equipment as required.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P309+P311 IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local rules and regulations.

# **GHS SDS PRECAUTIONARY STATEMENTS**

P270 Do not eat, drink or smoke when using this product.

# Section 3. Composition/Information on ingredients

 Chemical Name
 CAS-No.
 Wt. %
 GHS Symbols
 GHS Statements

 TITANIUM DIOXIDE
 13463-67-7
 2.5-10
 GHS06-GHS08
 H331-361

ETHANOL 100% 64-17-5 2.5-10 GHS02-GHS07- H225-302-315-319-335-336-370

GHS08

The text for GHS Hazard Statements shown above (if any) is given in the "Other information" Section.

# Section 4. First-aid measures



FIRST AID - INHALATION: Move to fresh air. Oxygen or artificial respiration if needed.

FIRST AID - SKIN CONTACT: Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.

FIRST AID - EYE CONTACT: Flush eye(s) immediately with plenty of water.

**FIRST AID - INGESTION:** Consult a physician. If a person vomits when lying on his back, place him in the recovery position. Never give anything by mouth to an unconscious person.

# Section 5. Fire-fighting measures

UNUSUAL FIRE AND EXPLOSION HAZARDS: Remove all sources of ignition.

**SPECIAL FIREFIGHTING PROCEDURES:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

EXTINGUISHING MEDIA: Alcohol Foam, Carbon Dioxide, Dry Chemical, Foam, Water Fog

# Section 6. Accidental release measures

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

# Section 7. Handling and storage





**HANDLING:** Containers of this material may be hazardous when emptied. Do not re-use empty containers. Keep away from food and drink. Keep out of reach of children.

STORAGE: Harmful - Store away from foodstuffs. For Industrial Use Only

# Section 8. Exposure controls/personal protection

#### Ingredients with Occupational Exposure Limits

<u>Chemical Name</u> <u>ACGIH TLV-TWA</u> <u>ACGIH-TLV STEL</u> <u>OSHA PEL-TWA</u> <u>OSHA PEL-CEILING</u>

 TITANIUM DIOXIDE
 NE
 NE
 NE
 NE

 ETHANOL 100%
 1000
 ND
 1000
 N.E.

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation Sk = Skin Sensitizer N.E. = Not Established

#### **Personal Protection**



**RESPIRATORY PROTECTION:** In the case of respirable dust and/or fumes, use self-contained breathing apparatus.



SKIN PROTECTION: Impervious gloves.



**EYE PROTECTION:** Safety glasses with side-shields.



OTHER PROTECTIVE EQUIPMENT: Impervious clothing.



HYGIENIC PRACTICES: General industrial hygiene practice.

# Section 9. Physical and Chemical Properties

176 - 591 Vapor Density: 1.6 Boiling Range (F): Odor Threshold: Odor: Characteristic NE Appearance: Heavy Liquid Evaporation Rate: 1.7 Solubility in Water: NE Specific Gravity: 1.663 Freeze Point: NE pH: NE Vapor Pressure (mm Hg): 115 Viscosity: NE

Physical State: Liquid Flash Point, °C: 100, °F 212

(See section 16 for abbreviation legend)

**CHEMICAL NAME** VAPOR DENSITY EVAPORATION RATE **BOILING POINT** VP mmHg at DEG. F TITANIUM DIOXIDE NE NE NE NE ETHANOL 100% 1.60 1.70 173 115 68

# Section 10. Stability and reactivity

STABILITY: Stable under normal conditions. Stable if used as directed.

CONDITIONS TO AVOID: Avoid contact with skin, eyes and clothing.

**INCOMPATIBILITY:** Incompatible with strong acids and oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: No decomposition if stored and applied as directed.

# Section 11. Toxicological information



# **Practical Experiences**

**EFFECT OF OVEREXPOSURE - INHALATION:** Inhalation may cause intense irritation to the respiratory tract (nose, mouth, mucous membranes).

**EFFECT OF OVEREXPOSURE - SKIN CONTACT:** Direct skin contact may cause moderate to severe irritation and possibly dermatitis. Local ventilation of emission sources may be necessary to maintain ambient concentrations below recommended exposure limits.

EFFECT OF OVEREXPOSURE - EYE CONTACT: Mist and vapors may cause eye irritation.

EFFECT OF OVEREXPOSURE - INGESTION: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### **CARCINOGENICITY:** No Information

## **Acute Toxicity Values**

The acute effects of this product have not been tested. Data on individual components are tabulated below:

 CAS-No.
 Name according to EEC
 Oral LD50
 Dermal LD50
 Vapor LC50

 13463-67-7
 TITANIUM DIOXIDE
 10000
 10000
 6.80

 64-17-5
 ETHANOL 100%
 N.I.
 N.I.
 N.I.

N.I. - No Information

# Section 12. Ecological information

ECOLOGICAL INFORMATION: Do not contaminate ponds, waterways or ditches with chemical or used container.

# Section 13. Disposal considerations



# **Product**

**DISPOSAL METHOD:** Dispose of in accordance with all local, state and federal regulations.

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

# Section 14. Transport information

SPECIAL TRANSPORT PRECAUTIONS: No Information

DOT Proper ShippingPaint, LatexPacking Group:Non-RegulatedDOT Technical Name:PaintHazard SubClass:No Information

DOT Hazard Class: Non-Hazardous Resp. Guide Page: NE

DOT UN/NA Number: Non-Regulated

# Section 15. Regulatory information

# U.S. Federal Regulations:

# **CERCLA - SARA Hazard Category**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Reproductive toxicity, Specific target organ toxicity (single or repeated exposure)

#### **SARA SECTION 312:**

Chemical NameCAS-No.ETHANOL 100%64-17-5

# **SARA SECTION 313:**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

 Chemical Name
 CAS-No.

 MIBK
 108-10-1

 N-HEXANE 100%
 110-54-3

 CYCLOHEXANE
 110-82-7

#### TOXIC SUBSTANCES CONTROL ACT:

All components of this material are listed on the US Toxic Substance Control Act (TSCA inventory).

# U.S. State Regulations:

#### **NEW JERSEY RIGHT-TO-KNOW:**

The following materials are non-hazardous, but are among the top five components in this product.

Chemical NameCAS-No.LIMESTONE1317-65-3WATER7732-18-5MED OIL ALKYD LATEXProprietary

### PENNSYLVANIA RIGHT-TO-KNOW

The following non-hazardous ingredients are present in the product at greater than 3%.

Chemical NameCAS-No.LIMESTONE1317-65-3WATER7732-18-5MED OIL ALKYD LATEXProprietary

### **CALIFORNIA PROPOSITION 65 CARCINOGENS**



# **WARNING**

The following ingredients present in the product are known to the state of California to cause Cancer:

 Chemical Name
 CAS-No.

 TITANIUM DIOXIDE
 13463-67-7

 MIBK
 108-10-1

### **CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS**

The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

Chemical NameCAS-No.MIBK108-10-1

# International Regulations: As follows -

## **CANADIAN WHMIS:**

All components of this material are listed on the Domestic Substance List.

WHMIS Class: No Information

# Section 16. Other information, including date of preparation of the last revision

Revision Date: 9/26/2022 Supercedes Date: 9/20/2022

Reason for revision: GHS

Datasheet produced by: Regulatory Department

**HMIS Ratings:** 

Health:	1	Flammability:	0	Reactivity:	0	Personal Protection:	X
---------	---	---------------	---	-------------	---	----------------------	---

## Volatile Organic Compounds, gr/ltr: 76

# Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn child.

H370 Causes damage to organs . Classified Category 1 Substances that produced significant toxicity in humans

and evidence to produce significant toxicity with single exposure. Cell death, adverse change in biochemistry, haematology or urinalysis parameters, Central or peripheral nervous system and effects

senses. multifocal or diffuse necrosis, fibrosis or granuloma formation in organs.

# Icons for GHS Pictograms shown in Section 3 describing each ingredient:



Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

No Information